




Professional

Current Procedural Coding Expert

CPT® codes with Medicare essentials
for enhanced accuracy

SAMPLE

2027



optumcoding.com


Contents

Introduction	i	Axillary Lymph Nodes	xxiv
Getting Started with Current <i>Procedural Coding Expert</i> , <i>Professional Edition</i>	i	Lymphatic Capillaries	xxiv
General Conventions	i	Lymphatic System of Head and Neck	xxiv
Resequencing of CPT Codes	i	Lymphatic Drainage	xxiv
Code Ranges for Medicare Billing	ii	Spleen Internal Structures	xxv
Icons	ii	Spleen External Structures	xxv
Appendixes	viii	Digestive System	xxvi
Anatomical Illustrations	vii	Gallbladder	xxvi
Body Planes and Movements	vii	Stomach	xxvi
Integumentary System	viii	Mouth (Upper)	xxvii
Skin and Subcutaneous Tissue	viii	Mouth (Lower)	xxvii
Nail Anatomy	viii	Pancreas	xxvii
Assessment of Burn Surface Area	viii	Liver	xxvii
Musculoskeletal System	ix	Anus	xxvii
Bones and Joints	ix	Genitourinary System	xxviii
Muscles	x	Urinary System	xxviii
Head and Facial Bones	xi	Nephron	xxix
Nose	xi	Male Genitourinary	xxix
Shoulder (Anterior View)	xi	Testis and Associated Structures	xxix
Shoulder (Posterior View)	xi	Male Genitourinary System	xxix
Shoulder Muscles	xi	Female Genitourinary	xxx
Elbow (Anterior View)	xii	Female Reproductive System	xxx
Elbow (Posterior View)	xii	Female Bladder	xxx
Elbow Muscles	xii	Female Breast	xxx
Elbow Joint	xii	Endocrine System	xxx
Lower Arm	xii	Structure of an Ovary	xxx
Hand	xii	Thyroid and Parathyroid Glands	xxxii
Hip (Anterior View)	xiii	Adrenal Gland	xxxii
Hip (Posterior View)	xiii	Thyroid	xxxii
Knee (Anterior View)	xiii	Thymus	xxxii
Knee (Posterior View)	xiii	Nervous System	xxxiii
Knee Joint (Anterior View)	xiii	Brain	xxxiv
Knee Joint (Lateral View)	xiii	Cranial Nerves	xxxiv
Lower Leg	xiv	Spinal Cord and Spinal Nerves	xxxv
Ankle Ligament (Lateral View)	xiv	Nerve Cell	xxxvi
Ankle Ligament (Posterior View)	xiv	Eye	xxxvii
Foot Tendons	xiv	Eye Structure	xxxvii
Foot Bones	xiv	Posterior Pole of Globe/Flow of Aqueous Humor	xxxvii
Respiratory System	xv	Eye Musculature	xxxvii
Upper Respiratory System	xv	Eyelid Structures	xxxvii
Nasal Turbinates	xv	Ear and Lacrimal System	xxxviii
Paranasal Sinuses	xvi	Ear Anatomy	xxxviii
Lower Respiratory System	xvi	Lacrimal System	xxxviii
Lung Segments	xvi	Index	Index-1
Alveoli	xvi	Tabular	1
Arterial System	xvii	Anesthesia	1
Internal Carotid Arteries and Branches	xviii	Integumentary System	11
External Carotid Arteries and Branches	xviii	Musculoskeletal System	37
Upper Extremity Arteries	xviii	Respiratory System	101
Lower Extremity Arteries	xviii	Cardiovascular, Hemic, and Lymphatic	117
Venous System	xix	Digestive System	173
Head and Neck Veins	xx	Urinary System	217
Upper Extremity Veins	xx	Genital System	233
Venae Comitantes	xx	Endocrine System	254
Venous Blood Flow	xx	Nervous System	257
Abdominal Veins	xx	Eye, Ocular Adnexa, and Ear	285
Cardiovascular System	xxi	Radiology	303
Coronary Veins	xxi	Medical Decision Making Table for Pathology Clinical Consultations	339
Anatomy of the Heart	xxi	Pathology and Laboratory	340
Heart Cross Section	xxi	Medicine	449
Heart Valves	xxi	Evaluation and Management (E/M) Services Guidelines	529
Heart Conduction System	xxii	Evaluation and Management	536
Coronary Arteries	xxii		
Lymphatic System	xxiii		

Category II Codes	561	Appendix F — Add-on Codes, Modifier 51 Exempt, Optum Modifier 51 Exempt, Modifier 63 Exempt, Modifier 95 Telemedicine, and Modifier 93 Audio-Only Services	654
Category III Codes	577	Add-on Codes	654
Appendix A — Modifiers and Expanded Guidance	615	AMA Modifier 51 Exempt Codes	654
Introduction to Modifiers	615	Optum Modifier 51 Exempt Codes	654
CPT Modifiers (Professional)	616	Modifier 63 Exempt Codes	654
Modifiers Approved for Ambulatory Surgery Center (ASC) Hospital Outpatient Use	622	Telemedicine Services Codes	654
Regulatory and Coding Guidance	625	Audio-Only Services Codes	655
Appendix B — New, Revised, and Deleted Codes	630	Appendix G — Medicare Internet-only Manuals (IOMs)	655
New Codes	630	Appendix H — Quality Payment Program	656
Revised Codes	636	Proposed 2025 Changes	656
Deleted Codes	637	Appendix I — Inpatient-Only Procedures	657
Resequenced Icon Added	637	Appendix J — Place of Service and Type of Service	663
Web Release New, Revised, and Deleted Codes	637	Place-of-Service Codes for Professional Claims	663
Appendix C — Evaluation and Management Extended Guidelines	638	Type of Service	665
Introduction to Evaluation and Management Coding	638	Appendix K — Multianalyte Assays with Algorithmic Analyses ...	666
Classification of E/M Services	639	Appendix L — Listing of Sensory, Motor, and Mixed Nerves	691
Categories of E/M Services	639	Motor Nerves Assigned to Codes 95907-95913	691
Summary of Recent Changes to the E/M Codes	639	Sensory and Mixed Nerves Assigned to Codes 95907-95913	691
Determining the Level of E/M Service for Office or Other Outpatient Services, Telemedicine Services, Hospital Inpatient and Observation Care, Consultations, Emergency Department Services, Nursing Facility, and Home or Residence Services	639	Appendix M — Digital Medicine Services	693
Split or Shared E/M Services	643	Appendix N — Artificial Intelligence Taxonomy for Medical Services and Procedures	694
Multiple E/M Services on Same Date	643	Appendix O — Social Determinants of Health	695
Quick Comparison of E/M Services	643	Appendix P — Glossary	697
Appendix D — Crosswalk of Deleted Codes	651		
Appendix E — Resequenced Codes	652		

Musculoskeletal System

Bones and Joints



Abscess

Index

Abscess — continued

Bartholin's Gland — continued
 Puncture Aspiration, 10160
 Bladder, 49406, 51080
 Brain
 Burr Hole, 61150, 61151
 Craniotomy/Craniectomy, 61320, 61321
 Excision, 61514, 61522
 Breast, 19020
 Carpals, 25035
 Clavicle, 23170
 Contrast Injection, 49424
 Ear, External, 69000-69005
 Elbow, 23930
 Bone Abscess, 23935
 Sequestrectomy, 24136-24138
 Epididymis, 54700
 Eyelid, 67700
 Facial Bone(s), 21026
 Femur, 27301
 Bone Abscess, 27303
 Finger, 26010-26011
 Bone Abscess, 26034
 Foot, 28005
 Gums, 41800
 Hand, 26034
 Hip, 26990
 Bone Abscess, 26992
 Humerus, 23935
 Humeral Head, 23174
 Sequestrectomy, 24134
 Kidney
 Open, 50020
 Percutaneous, 49405
 Knee, 27301
 Bone Abscess, 27303
 Leg
 Lower, 27603
 Bone Abscess, 27607
 Upper, 27301
 Bone Abscess, 27303
 Liver
 Injection, 47015
 Marsupialization, 47300
 Open, 47010
 Percutaneous, 49405
 Lung
 Endoscopic, 31645-31646
 Open, 32200
 Percutaneous, 49405
 Lymph Node, 38300, 38305
 Mandible, 21025
 Mouth
 Dentoalveolar, 41800
 Floor of Mouth
 Extraoral, 41015-41018
 Intraoral, 41000-41009
 Vestibule, 40800-40801
 Nasal, 30000, 30020
 Nasal Septum, 30020
 Neck, 21501-21502
 Nose, 30000, 30020
 Olecranon Process, 23930
 Sequestrectomy, 24138
 Ovary
 Abdominal Approach, 58822
 Vaginal Approach, 58820
 Palate, 42000
 Paraurethral Gland, 53060
 Parotid Gland, 42300, 42305
 Pelvis, 26990
 Bone Abscess, 26992
 Transrectal, 45000, 49407
 Perineal, 56405
 Perirenal or Renal, 50020
 Percutaneous, 49405
 Peritoneal, 49020, 49406-49407
 Pharynx, 42700-42725
 Posterior Spine, 22010, 22015
 Prostate, 55720-55725
 Transurethral, 52700
 Radius, 25028
 Bone Abscess, 25035
 Sequestrectomy, 24136
 Rectum, 45005, 45020, 46040, 46060
 Retroperitoneal, 49060

Abscess — continued

Salivary Gland, 42300-42320
 Scapula, 23172
 Scrotum, 54700, 55100
 Shoulder, 23030
 Bone Abscess, 23035
 Skene's Gland, 53060
 Skin, 10060-10061
 Puncture Aspiration, 10160
 Soft Tissue Catheter Drainage, 10030
 Spine, 22010-22015
 Spleen, 49405
 Subdiaphragmatic, 49040
 Sublingual Gland, 42310, 42320
 Submaxillary Gland, 42310, 42320
 Subphrenic, 49040
 Percutaneous, 49406
 Testis, 54700
 Thigh, 27301
 Bone Abscess, 27303
 Thoracostomy, 32551
 Thorax, 21501-21502
 Bone Abscess, 21510
 Throat, 42700-42725
 Tongue, 41000-41009
 Tonsil, 42700
 Ulna, 25035
 Urethra, 53040
 Uvula, 42000
 Vagina, 57010
 Visceral, 49405
 Vulva, 56405
 Wrist, 25028
 Bone Abscess, 25035
 Sequestrectomy, 25145
 X-ray, 75989, 76080
Absolute Neutrophil Count (ANC), 85048
Absolute Quantitation Myocardial Blood Flow (AQMBF), 0742T
Absorptiometry
 Dual Energy, 77080
 Bone
 Appendicular Skeleton, 77081
 Axial Skeleton, 77078, 77080
 Vertebral, 77080, [77086]
 Ordered and Documented (PQRS), 3095F-3096F
 Dual Photon
 Bone, 78351
 Single Photon
 Bone, 78350
Absorption Spectrophotometry, 82190
 Atomic, 82190
ACADM, 81400-81401
ACADS, 81404-81405
ACADVL, 81406
ACB, 82045
ACBE (Air Contrast Barium Enema), 74280
Access
 Small Bowel via Biliary Tree, Percutaneous, 47541
Accessory Nerve
 Incision, 63191
 Section, 63191
Accessory Toes, 28344
ACD, 63075, 63076
ACE (Angiotensin Converting Enzyme)
 See Angiotensin
Acetabuloplasty, 27120, 27122, [29915]
Acetabulum
 Fracture
 Closed, 27220, 27222
 Open, 27226-27228
 Reconstruction, 27120
 with Resection, Femoral Head, 27122
 Tumor
 Excision, 27076
Acetaminophen, [80329, 80330, 80331]
 Assay, 80143
Acetic Anhydrides, 84600
Acetone
 Blood or Urine, 82009, 82010
Acetone Body, 82009, 82010
Acetylcholine Receptor (AChR) Antibody, [86041], [86042], [86043]

Acetylcholinesterase

Blood or Urine, 82013
Acg, 85220
Achilles Tendon
 Incision, 27605, 27606
 Lengthening, 27612
 Repair, 27650-27654
Achillotomy, 27605-27606
ACI, 27412, 29870
Acid
 Adenylic, 82030
 Amino
 Blood or Urine, 82127-82139
 Aminolevulinic
 Urine or Blood, 82135
 Ascorbic
 Blood, 82180
 Bile, 82239
 Blood, 82240
 Deoxyribonucleic
 Antibody, 86225-86226
 Diethylamide, Lysergic, 80299
 Fast Bacilli (AFB)
 Culture, 87116
 Fast Stain, 88312
 Fatty
 Blood, 82725
 Very Long Chain, 82726
 Folic, 82746
 RBC, 82747
 Gastric, 82930
 Glycocholic, 82240
 Lactic, 83605
 N-Acetyneuraminic, 84275
 Perfusion Test
 Esophagus, 91013, 91030
 Phenylethylbarbituric
 Assay, 80184
 Phosphatase, 84060-84066
 Probes, Nucleic
 See Nucleic Acid Probe
 Reflux Test, 91034-91038
 Salic, 84275
 Uric
 Blood, 84550
 Other Source, 84560
 Urine, 84560
Acidity/Alkalinity
 Blood Gasses, 82800-82805
 Body Fluid, Not Otherwise Specified, 83986
 Exhaled Breath Condensate, 83987
ACL Repair
 Arthroscopy Aided, 29888
 Open, 27407, 27409
Acne Surgery
 Incision and Drainage
 Abscess, 10060, 10061
 Puncture Aspiration, 10160
 Bulla
 Puncture Aspiration, 10160
 Comedones, 10040
 Cyst, 10040
 Puncture Aspiration, 10160
 Milia, Multiple, 10040
 Pustules, 10040
Acne Treatment
 Abrasion, 15786, 15787
 Chemical Peel, 15788-15793
 Cryotherapy, 17340
 Dermabrasion, 15780-15783
 Exfoliation
 Chemical, 17360
Acoustic
 Evoked Brain Stem Potential, [92650], [92651], [92652], [92653]
 Heart Sounds
 with Computer Analysis, 93799
 Immittance Testing, 92570
 Neuroma
 Brain Tumor Excision, 61510, 61518, 61520, 61521, 61526, 61530, 61545
 Brainstem
 Biopsy, 61575, 61576
 Decompression, 61575, 61576

Acoustic — continued

Neuroma — continued
 Brainstem — continued
 Evoked Potentials, [92650], [92651], [92652], [92653]
 Lesion Excision, 61575, 61576
 Skull Base Surgery
 Anterior Cranial Fossa
 Bicoronal Approach, 61586
 Craniofacial Approach, 61580-61583
 Extradural, 61600, 61601
 LeFort I Osteotomy Approach, 61586
 Orbitocranial Approach, 61584, 61585
 Transzygomatic Approach, 61586
 Carotid Aneurysm, 61613
 Craniotomy, 62121
 Dura
 Repair of Cerebrospinal
 Fluid Leak, 61618, 61619
 Middle Cranial Fossa
 Extradural, 61605-61607
 Infratemporal Approach, 61590, 61591
 Intradural, 61606-61608
 Orbitocranial Zygomatic Approach, 61592
 Posterior Cranial Fossa
 Extradural, 61615
 Intradural, 61616
 Transcondylar Approach, 61596, 61597
 Transpetrosal Approach, 61598
 Transtemporal Approach, 61595
 Recording
 Heart Sounds, 93799
 Waveform, Cardiac, 0716T
ACP, 84060-84066
Acromioclavicular Joint
 Arthrocentesis, 20605-20606
 Arthrotomy, 23044
 with Biopsy, 23101
 Dislocation, 23540-23552
 Open Treatment, 23550, 23552
 X-ray, 73050
Acromion
 Excision
 Shoulder, 23130
Acromionectomy
 Partial, 23130
Acromioplasty, 23415, 23420
 Partial, 23130
ACTA2, 81405, 81410
ACTC1, 81405
ACTH (Adrenocorticotrophic Hormone), 80400-80406, 80412, 80418, 80204
ACTH Releasing Factor, 80412
Actigraphy, 95803
Actin Smooth Muscle Antibody (ASMA), [86015]
Actinomyces
 Antibody, 86602
Actinomycosis, 86000
Actinomycotic Infection
 See Actinomycosis
Actinotherapy, 96900
Activated Factor X, 85260
Activated Partial Thromboplastin Time, 85730, 85732
Activation, Lymphocyte, 86353
Activities of Daily Living (ADL), 97535, 99509
 See Physical Medicine/Therapy/ Occupational Therapy
 Training, 97535, 97537
Activity, Glomerular Procoagulant
 See Thromboplastin
ACTN4, 81406
Acupuncture
 One or More Needles
 with Electrical Stimulation, 97813-97814
 without Electrical Stimulation, 97810-97811

20100-20103 Exploratory Surgery of Traumatic Wound

- INCLUDES** Debridement
Expanded dissection wound for exploration
Extraction foreign material
Open examination
Tying or coagulation small vessels
- EXCLUDES** Cutaneous/subcutaneous incision and drainage procedures (10060-10061)
Laparotomy (49000-49010)
Repair major vessels:
Abdomen (35221, 35251, 35281)
Chest (35211, 35216, 35241, 35246, 35271, 35276)
Extremity (35206-35207, 35226, 35236, 35256, 35266, 35286)
Neck (35201, 35231, 35261)
Thoracotomy (32100-32160)

20100 Exploration of penetrating wound (separate procedure); neck

💉 17.99 🔄 17.99 **FUD 010 MUE 2(3)** [T] [80] [50] [P]

20101 chest

💉 6.30 🔄 17.25 **FUD 010 MUE 2(3)** [T] [P]

20102 abdomen/flank/back

💉 7.71 🔄 18.39 **FUD 010 MUE 3(3)** [T] [P]

AMA: 2020,Jan

20103 extremity

💉 10.38 🔄 16.96 **FUD 010 MUE 3(3)** [J1] [62] [80] [P]

AMA: 2023,Oct

20150 Epiphyseal Bar Resection**20150 Excision of epiphyseal bar, with or without autogenous soft tissue graft obtained through same fascial incision**

💉 30.28 🔄 30.28 **FUD 090 MUE 2(3)** [J1] [62] [80] [50] [P]

20200-20206 Muscle Biopsy

- EXCLUDES** Removal of muscle tumor (see appropriate anatomic section)

20200 Biopsy, muscle; superficial

💉 2.86 🔄 6.50 **FUD 000 MUE 2(3)** [J1] [A2] [P]

20205 deep

💉 4.66 🔄 9.15 **FUD 000 MUE 3(3)** [J1] [A2] [P]

20206 Biopsy, muscle, percutaneous needle

EXCLUDES Fine needle aspiration (10021, [10004, 10005, 10006, 10007, 10008, 10009, 10010, 10011, 10012])

🔪 (76942, 77002, 77012, 77021)

🔪 (88172-88173)

💉 1.69 🔄 6.55 **FUD 000 MUE 3(3)** [J1] [A2] [P]

AMA: 2019,Apr

20220-20225 Percutaneous Bone Biopsy

- EXCLUDES** Bone marrow aspiration(s) or biopsy(ies) (38220-38222)

20220 Biopsy, bone, trocar, or needle; superficial (eg, ilium, sternum, spinous process, ribs)

🔪 (77002, 77012, 77021)

💉 2.57 🔄 6.93 **FUD 000 MUE 3(3)** [J1] [A2] [P]

AMA: 2023,Jan

20225 deep (eg, vertebral body, femur)

EXCLUDES When performed at same level:

Percutaneous sacral augmentation (sacroplasty) (0200T-0201T)

Percutaneous vertebroplasty (22510-22515)

🔪 (77002, 77012, 77021)

💉 3.81 🔄 11.32 **FUD 000 MUE 2(3)** [J1] [A2] [P]

AMA: 2023,Jan

20240-20251 Open Bone Biopsy

- EXCLUDES** Sequestrectomy or incision and drainage of bone abscess of:
Calcaneus (28120)
Carpal bone (25145)
Clavicle (23170)
Humeral head (23174)
Humerus (24134)
Olecranon process (24138)
Radius (24136, 25145)
Scapula (23172)
Skull (61501)
Talus (28120)
Ulna (24138, 24145)

20240 Biopsy, bone, open; superficial (eg, sternum, spinous process, rib, patella, olecranon process, calcaneus, tarsal, metatarsal, carpal, metacarpal, phalanx)

💉 4.18 🔄 4.18 **FUD 000 MUE 4(3)** [J1] [A2] [P]

AMA: 2023,May; 2023,Apr; 2021,Sep

20245 deep (eg, humeral shaft, ischium, femoral shaft)

💉 10.25 🔄 10.25 **FUD 000 MUE 3(3)** [J1] [A2] [P]

AMA: 2023,Apr; 2021,Sep

20250 Biopsy, vertebral body, open; thoracic

💉 11.84 🔄 11.84 **FUD 010 MUE 1(3)** [J1] [62] [P]

AMA: 2023,Apr; 2021,Sep

20251 lumbar or cervical

💉 12.66 🔄 12.66 **FUD 010 MUE 2(3)** [J1] [A2] [80] [P]

AMA: 2023,Apr; 2021,Sep

20500-20501 Injection Fistula/Sinus Tract

- EXCLUDES** Arthrography injection of:
Ankle (27648)
Elbow (24220)
Hip (27093, 27095)
Sacroiliac joint (27096)
Shoulder (23350)
Temporomandibular joint (TMJ) (21116)
Wrist (25246)

20500 Injection of sinus tract; therapeutic (separate procedure)

🔪 (76080)

💉 2.69 🔄 3.73 **FUD 010 MUE 2(3)** [J1] [P3] [P]

20501 diagnostic (sinogram)

- EXCLUDES** Contrast injection or injections for radiological evaluation existing gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube from percutaneous approach (49465)

🔪 (76080)

💉 1.07 🔄 4.23 **FUD 000 MUE 2(3)** [N] [N1] [P]

20520-20525 Foreign Body Removal**20520 Removal of foreign body in muscle or tendon sheath; simple**

💉 4.47 🔄 6.58 **FUD 010 MUE 2(3)** [J1] [P3] [P]

AMA: 2023,Jan

20525 deep or complicated

💉 7.45 🔄 13.95 **FUD 010 MUE 4(3)** [J1] [A2] [P]

AMA: 2023,Jan

20526-20561 [20560, 20561] Therapeutic Injections: Tendons, Trigger Points**20526 Injection, therapeutic (eg, local anesthetic, corticosteroid), carpal tunnel**

💉 1.70 🔄 2.48 **FUD 000 MUE 1(2)** [T] [P3] [50] [P]

AMA: 2023,Jan

20527 Injection, enzyme (eg, collagenase), palmar fascial cord (ie, Dupuytren's contracture)

EXCLUDES Post injection palmar fascial cord manipulation (26341)


💉 1.97 🔄 2.64 **FUD 000 MUE 2(3)** [T] [P3] [50] [P]

- 30430 Rhinoplasty, secondary; minor revision (small amount of nasal tip work)**
 32.40 32.40 FUD 090 MUE 1(2) J1 A2 80
- 30435 intermediate revision (bony work with osteotomies)**
 40.34 40.34 FUD 090 MUE 1(2) J1 A2 80
- 30450 major revision (nasal tip work and osteotomies)**
 52.62 52.62 FUD 090 MUE 1(2) J1 A2 80
- 30460 Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip only**
 24.95 24.95 FUD 090 MUE 1(2) J1 A2 80

Cleft lip and cleft palate are described according to length of cleft and whether bilateral or unilateral



Complete unilateral cleft lip




Isolated unilateral complete cleft of palate

Bilateral complete cleft of lip and palate

- 30462 tip, septum, osteotomies**
 47.91 47.91 FUD 090 MUE 1(2) J1 A2 80
- 30465 Repair of nasal vestibular stenosis (eg, spreader grafting, lateral nasal wall reconstruction)**
INCLUDES Bilateral procedure
EXCLUDES Repair nasal valve collapse using lateral wall implants, same side during same operative session (30468)
 Repair nasal valve collapse using radiofrequency, same side during same operative session (30469)
 Repair nasal vestibular stenosis without graft, implant, or reconstruction lateral wall (30999)
 Code also graft harvest ([15769], 20900-20902, 20910-20912, 20920-20922, 20924, 21210, 21235)
 Code also modifier 52 for unilateral procedure
 31.00 31.00 FUD 090 MUE 1(2) J1 A2 80
 AMA: 2024,Mar; 2023,Feb; 2020,Sep
- 30468 Repair of nasal valve collapse with subcutaneous/submucosal lateral wall implant(s)**
INCLUDES Bilateral procedure
EXCLUDES Repair nasal valve collapse using radiofrequency, same side during same operative session (30469)
 Repair nasal valve collapse without graft, implant, or reconstruction lateral wall (30999)
 Repair nasal vestibular stenosis, same side during same operative session (30465)
 Code also modifier 52 for unilateral procedure
 5.06 74.98 FUD 000 MUE 1(2) J1 J8

- 30469 Repair of nasal valve collapse with low energy, temperature-controlled (ie, radiofrequency) subcutaneous/submucosal remodeling**
INCLUDES Bilateral procedure
EXCLUDES Repair nasal valve collapse using lateral wall implants, same side during same operative session (30468)
 Repair nasal valve collapse without graft, implant, or reconstruction lateral wall (30999)
 Repair nasal vestibular stenosis, same side during same operative session (30465)
 Code also modifier 52 for unilateral procedure
 4.51 73.29 FUD 000 MUE 1(2) J1 J8
 AMA: 2023,Feb
- 30520 Septoplasty or submucous resection, with or without cartilage scoring, contouring or replacement with graft**
EXCLUDES Turbinate resection (30140)
 20.43 20.43 FUD 090 MUE 1(2) J1 A2
 AMA: 2023,Jul; 2023,Feb; 2021,Jan; 2019,Jul
- 30540 Repair choanal atresia; intranasal**
 22.36 22.36 FUD 090 MUE 1(2) J1 A2 80
- 30545 transpalatine**
 30.27 30.27 FUD 090 MUE 1(2) J1 A2 80
- 30560 Lysis intranasal synechia**
 4.58 9.69 FUD 010 MUE 1(2) T A2
- 30580 Repair fistula; oromaxillary (combine with 31030 if antrotomy is included)**
 13.84 18.30 FUD 090 MUE 2(3) J1 A2
- 30600 oronasal**
 11.56 15.55 FUD 090 MUE 1(3) J1 A2 80
- 30620 Septal or other intranasal dermatoplasty (does not include obtaining graft)**
 20.42 20.42 FUD 090 MUE 1(2) J1 A2



- 30630 Repair nasal septal perforations**
 20.24 20.24 FUD 090 MUE 1(2) J1 A2 80

30801-30802 Turbinate Destruction

- EXCLUDES** Ablation middle/superior turbinates (30999)
 Cautery to stop nasal bleeding (30901-30906)
 Excision inferior turbinate, partial or complete, any method (30130)
 Submucous resection inferior turbinate, partial or complete, any method (30140)
- 30801 Ablation, soft tissue of inferior turbinates, unilateral or bilateral, any method (eg, electrocautery, radiofrequency ablation, or tissue volume reduction); superficial**
EXCLUDES Submucosal ablation inferior turbinates (30802)
 4.60 6.59 FUD 010 MUE 1(2) J1 A2
 AMA: 2019,Jul
- 30802 intramural (ie, submucosal)**
EXCLUDES Superficial ablation inferior turbinates (30801)
 6.12 8.38 FUD 010 MUE 1(2) J1 A2
 AMA: 2023,Feb; 2019,Jul

47531-47532 Injection/Insertion Procedures of Biliary Tract**INCLUDES** Contrast material injection

Radiologic supervision and interpretation

EXCLUDES Intraoperative cholangiography (74300-74301)

Procedures performed via same access (47490, 47533-47541)

- 47531** Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation; existing access

2.06 12.48 FUD 000 MUE 2(3)

02 NI

AMA: 2023, Feb

- 47532** new access (eg, percutaneous transhepatic cholangiogram)

6.14 24.76 FUD 000 MUE 1(3)

02 NI

47533-47544 Percutaneous Procedures of the Biliary Tract

- 47533** Placement of biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation; external

EXCLUDES Conversion to internal-external drainage catheter (47535)

Percutaneous placement stent bile duct (47538)

Placement stent bile duct, new access (47540)

Replacement existing internal drainage catheter (47536)

7.64 34.25 FUD 000 MUE 1(3)

J1 G2

- 47534** internal-external

EXCLUDES Conversion to external only drainage catheter (47536)

Percutaneous placement stent bile duct (47538)

Placement stent bile duct, new access (47540)

10.69 37.62 FUD 000 MUE 2(3)

J1 G2

- 47535** Conversion of external biliary drainage catheter to internal-external biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

5.68 26.08 FUD 000 MUE 1(3)

J1 G2

- 47536** Exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

INCLUDES Exchange one drainage catheter**EXCLUDES** Placement stent(s) into bile duct, percutaneous (47538)

Code also exchange additional catheters same session with modifier 59 (47536)

3.83 18.68 FUD 000 MUE 2(3)

J1 G2

- 47537** Removal of biliary drainage catheter, percutaneous, requiring fluoroscopic guidance (eg, with concurrent indwelling biliary stents), including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

EXCLUDES Placement stent(s) into bile duct via same access (47538)

Removal without fluoroscopic guidance; report with appropriate E/M service code

2.81 14.46 FUD 000 MUE 1(3)

02 G2

- 47538** Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision and interpretation; existing access

EXCLUDES Drainage catheter inserted following stent placement (47536)

Procedures performed via same access (47536-47537)

Treatment same lesion same operative session ([43277], 47542, 47555-47556)

Code also multiple stents placed during same session when: (47538-47540)


Serial stents placed within same bile duct

Stent placement via two or more percutaneous access sites or space between two other stents

Two or more stents inserted through same percutaneous access

6.80 109.95 FUD 000 MUE 2(3)

J1 J8



- 47539** new access, without placement of separate biliary drainage catheter

EXCLUDES Treatment same lesion same operative session ([43277], 47542, 47555-47556)

Code also multiple stents placed during same session when: (47538-47540)

Serial stents placed within same bile duct

Stent placement via two or more percutaneous access sites or space between two other stents

Two or more stents inserted through same percutaneous access

12.35 123.63 FUD 000 MUE 2(3)

J1 G2

- 47540** new access, with placement of separate biliary drainage catheter (eg, external or internal-external)

EXCLUDES Procedures performed via same access (47533-47534)

Treatment same lesion same operative session ([43277], 47542, 47555-47556)

Code also multiple stents placed during same session when: (47538-47540)

Serial stents placed within same bile duct

Stent placement via two or more percutaneous access sites or space between two other stents

Two or more stents inserted through same percutaneous access

12.72 123.37 FUD 000 MUE 2(3)

J1 J8

61305


Nervous System

- 61305 infratentorial (posterior fossa)**
EXCLUDES Other craniectomy/craniotomy procedures when performed same anatomical site and during same surgical encounter
 61.09 61.09 FUD 090 MUE 1(3) [C] 80 [P]
- 61312 Craniectomy or craniotomy for evacuation of hematoma, supratentorial; extradural or subdural**
 62.99 62.99 FUD 090 MUE 2(3) [C] 80 [P]
- 61313 intracerebral**
 60.52 60.52 FUD 090 MUE 2(3) [C] 80 [P]
- 61314 Craniectomy or craniotomy for evacuation of hematoma, infratentorial; extradural or subdural**
 55.63 55.63 FUD 090 MUE 2(3) [C] 80 [P]
- 61315 intracerebellar**
 63.03 63.03 FUD 090 MUE 1(3) [C] 80 [P]
- + 61316 Incision and subcutaneous placement of cranial bone graft (List separately in addition to code for primary procedure)**
 Code first (61304, 61312-61313, 61322-61323, 61340, 61570-61571, 61680-61705)
 2.63 2.63 FUD ZZZ MUE 1(3) [C] [P]
- 61320 Craniectomy or craniotomy, drainage of intracranial abscess; supratentorial**
 57.64 57.64 FUD 090 MUE 2(3) [C] 80 [P]
- 61321 infratentorial**
 64.68 64.68 FUD 090 MUE 1(3) [C] 80 [P]
- 61322 Craniectomy or craniotomy, decompressive, with or without duraplasty, for treatment of intracranial hypertension, without evacuation of associated intraparenchymal hematoma; without lobectomy**
EXCLUDES Craniectomy or craniotomy for evacuation hematoma (61313)
 Subtemporal decompression (61340)
 72.53 72.53 FUD 090 MUE 1(3) [C] 80 [P]
 AMA: 2020, May; 2018, Aug
- 61323 with lobectomy**
EXCLUDES Craniectomy or craniotomy for evacuation hematoma (61313)
 Subtemporal decompression (61340)
 72.70 72.70 FUD 090 MUE 1(3) [C] 80 [P]

61330-61530 Craniectomy/Craniotomy/Decompression Brain By Surgical Approach/Specific Area of Brain

- EXCLUDES** Injection for:
 Cerebral angiography (36100-36218)
 Pneumoencephalography (61055)
 Ventriculography (61026, 61120)
- 61330 Decompression of orbit only, transcranial approach**
INCLUDES Naffziger operation
 54.72 54.72 FUD 090 MUE 1(2) [J1] [G2] [80] [50] [P]
- 61333 Exploration of orbit (transcranial approach); with removal of lesion**
 61.37 61.37 FUD 090 MUE 1(2) [C] [80] [50] [P]
- 61340 Subtemporal cranial decompression (pseudotumor cerebri, slit ventricle syndrome)**
EXCLUDES Decompression craniotomy or craniectomy for intracranial hypertension, without hematoma removal (61322-61323)
 43.97 43.97 FUD 090 MUE 1(2) [C] [80] [50] [P]
 AMA: 2020, May
- 61343 Craniectomy, suboccipital with cervical laminectomy for decompression of medulla and spinal cord, with or without dural graft (eg, Arnold-Chiari malformation)**
 66.69 66.69 FUD 090 MUE 1(2) [C] [80] [P]
- 61345 Other cranial decompression, posterior fossa**
EXCLUDES Kroenlein procedure
 Orbital decompression using lateral wall approach (67445)
 62.22 62.22 FUD 090 MUE 1(3) [C] [80] [P]

- 61450 Craniectomy, subtemporal, for section, compression, or decompression of sensory root of gasserian ganglion**
INCLUDES Frazier-Spiller procedure
 Hartley-Krause
 Krause decompression
 Taarnhoj procedure
 58.47 58.47 FUD 090 MUE 1(3) [C] [80] [P]
- 61458 Craniectomy, suboccipital; for exploration or decompression of cranial nerves**
INCLUDES Jannetta decompression
 61.24 61.24 FUD 090 MUE 1(2) [C] [80] [P]
- 61460 for section of 1 or more cranial nerves**
 64.14 64.14 FUD 090 MUE 1(2) [C] [80] [P]



- 61500 Craniectomy; with excision of tumor or other bone lesion of skull**
 39.44 39.44 FUD 090 MUE 1(3) [C] [80] [P]
- 61501 for osteomyelitis**
 34.32 34.32 FUD 090 MUE 1(3) [C] [80] [P]
- 61510 Craniectomy, trephination, bone flap craniotomy; for excision of brain tumor, supratentorial, except meningioma**
 Code also placement applicator for intraoperative radiation therapy, when performed (0735T)
 67.11 67.11 FUD 090 MUE 1(3) [C] [80] [P]
- 61512 for excision of meningioma, supratentorial**
 Code also placement applicator for intraoperative radiation therapy, when performed (0735T)
 77.60 77.60 FUD 090 MUE 1(3) [C] [80] [P]
- 61514 for excision of brain abscess, supratentorial**
 58.32 58.32 FUD 090 MUE 2(3) [C] [80] [P]
- 61516 for excision or fenestration of cyst, supratentorial**
EXCLUDES Craniopharyngioma (61545)
 Pituitary tumor removal (61546, 61548)
 57.14 57.14 FUD 090 MUE 1(3) [C] [80] [P]
- + 61517 Implantation of brain intracavitary chemotherapy agent (List separately in addition to code for primary procedure)**
EXCLUDES Intracavity radioelement source or ribbon implantation (77770-77772)
 Code first (61510, 61518)
 2.62 2.62 FUD ZZZ MUE 1(3) [C] [P]
- 61518 Craniectomy for excision of brain tumor, infratentorial or posterior fossa; except meningioma, cerebellopontine angle tumor, or midline tumor at base of skull**
 Code also placement applicator for intraoperative radiation therapy, when performed (0735T)
 84.27 84.27 FUD 090 MUE 1(3) [C] [80] [P]

78012-78099 Nuclear Radiology: Thyroid, Parathyroid, Adrenal

EXCLUDES Diagnostic services (see appropriate sections)

Follow-up care (see appropriate section)


Code also radiopharmaceutical(s) and/or drug(s) supplied

- 78012** Thyroid uptake, single or multiple quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)
 2.43 2.43 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
- 78013** Thyroid imaging (including vascular flow, when performed);
 5.14 5.14 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
- 78014** with single or multiple uptake(s) quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)
 6.53 6.53 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78015** Thyroid carcinoma metastases imaging; limited area (eg, neck and chest only)
 6.36 6.36 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
- 78016** with additional studies (eg, urinary recovery)
 7.58 7.58 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
- 78018** whole body
 8.52 8.52 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- + 78020** Thyroid carcinoma metastases uptake (List separately in addition to code for primary procedure)
 Code first (78018)
 2.34 2.34 FUD ZZZ MUE 1(3) [IN] [NT] [80] [00]
- 78070** Parathyroid planar imaging (including subtraction, when performed);
EXCLUDES Distribution radiopharmaceutical agents or tumor localization (78800-78802, [78804], 78803)
 Radiopharmaceutical quantification measurements (78835)
 SPECT with concurrently acquired CT transmission scan ([78830, 78831, 78832])
 8.08 8.08 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
 AMA: 2020,Oct
- 78071** with tomographic (SPECT)
EXCLUDES Distribution radiopharmaceutical agents or tumor localization (78800-78802, [78804], 78803)
 Radiopharmaceutical quantification measurements (78835)
 SPECT with concurrently acquired CT transmission scan ([78830, 78831, 78832])
 9.61 9.61 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
 AMA: 2020,Oct
- 78072** with tomographic (SPECT), and concurrently acquired computed tomography (CT) for anatomical localization
EXCLUDES Distribution radiopharmaceutical agents or tumor localization (78800-78802, [78804], 78803)
 Radiopharmaceutical quantification measurements (78835)
 SPECT with concurrently acquired CT transmission scan ([78830, 78831, 78832])
 11.92 11.92 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
 AMA: 2020,Oct
- 78075** Adrenal imaging, cortex and/or medulla
 12.17 12.17 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]

78099 Unlisted endocrine procedure, diagnostic nuclear medicine

0.00 0.00 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]

AMA: 2024,Jan



78102-78199 Nuclear Radiology: Blood Forming Organs

EXCLUDES Diagnostic services (see appropriate sections)

Follow-up care (see appropriate section)

Radioimmunoassays (82009-84999 [82042, 82652])

Code also radiopharmaceutical(s) and/or drug(s) supplied

- 78102** Bone marrow imaging; limited area
 4.81 4.81 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78103** multiple areas
 5.13 5.13 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78104** whole body
 6.89 6.89 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78110** Plasma volume, radiopharmaceutical volume-dilution technique (separate procedure); single sampling
 2.07 2.07 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78111** multiple samplings
 2.19 2.19 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78120** Red cell volume determination (separate procedure); single sampling
 2.12 2.12 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78121** multiple samplings
 2.31 2.31 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78122** Whole blood volume determination, including separate measurement of plasma volume and red cell volume (radiopharmaceutical volume-dilution technique)
 2.94 2.94 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78130** Red cell survival study
 3.72 3.72 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78140** Labeled red cell sequestration, differential organ/tissue (eg, splenic and/or hepatic)
 3.28 3.28 FUD XXX MUE 1(3) [S] [ZZ] [80] [00]
- 78185** Spleen imaging only, with or without vascular flow
EXCLUDES Liver imaging (78215-78216)
 4.64 4.64 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]
- 78191** Platelet survival study
 3.72 3.72 FUD XXX MUE 1(2) [S] [ZZ] [80] [00]

Evaluation and Management (E/M) Services Guidelines

E/M Guidelines Overview

The E/M guidelines have sections that are common to all E/M categories and sections that are category specific. Most of the categories and many of the subcategories of service have special guidelines or instructions unique to that category or subcategory. Where these are indicated, eg, "Hospital Inpatient and Observation Care," special instructions are presented before the listing of the specific E/M services codes. It is important to review the instructions for each category or subcategory. These guidelines are to be used by the reporting physician or other qualified health care professional to select the appropriate level of service. These guidelines do not establish documentation requirements or standards of care. The main purpose of documentation is to support care of the patient by current and future health care team(s). These guidelines are for services that require a face-to-face encounter with the patient and/or family/caregiver. (For 99211 and 99281, the face-to-face services may be performed by clinical staff.)

► In the **Evaluation and Management** section (98000-98016, 99202-99499), there are many code categories. Each category may have specific guidelines, or the codes may include specific details. These E/M guidelines are written for the following categories:

- Office or Other Outpatient Services
- Telemedicine Services
- Hospital Inpatient and Observation Care Services
- Consultations
- Emergency Department Services
- Nursing Facility Services
- Home or Residence Services
- Prolonged Service With or Without Direct Patient Contact on the Date of an Evaluation and Management Service ◀

Classification of Evaluation and Management (E/M) Services

The E/M section is divided into broad categories, such as office visits, hospital inpatient or observation care visits, and consultations. Most of the categories are further divided into two or more subcategories of E/M services. For example, there are two subcategories of office visits (new patient and established patient) and there are two subcategories of hospital inpatient and observation care visits (initial and subsequent). The subcategories of E/M services are further classified into levels of E/M services that are identified by specific codes.

The basic format of codes with levels of E/M services based on medical decision making (MDM) or time is the same. First, a unique code number is listed. Second, the place and/or type of service is specified (eg, office or other outpatient visit). Third, the content of the service is defined. Fourth, time is specified. (A detailed discussion of time is provided in the Guidelines for Selecting Level of Service Based on Time.)

The place of service and service type are defined by the location where the face-to-face encounter with the patient and/or family/caregiver occurs. For example, service provided to a nursing facility resident brought to the office is reported with an office or other outpatient code.

New and Established Patients

Solely for the purposes of distinguishing between new and established patients, **professional services** are those face-to-face services rendered by physicians and other qualified health care professionals who may report evaluation and management services. A new patient is one who has not received any professional services from the physician or other qualified health care professional or another physician or other qualified health care professional of the **exact** same specialty and subspecialty who belongs to the same group practice, within the past three years.

AMA CPT® Evaluation and Management (E/M) Services Guidelines reproduced with permission of the American Medical Association.


An established patient is one who has received professional services from the physician or other qualified health care professional or another physician or other qualified health care professional of the **exact** same specialty and **subspecialty** who belongs to the same group practice, within the past three years. See Decision Tree for New vs Established Patients.

In the instance where a physician or other qualified health care professional is on call for or covering for another physician or other qualified health care professional, the patient's encounter will be classified as it would have been by the physician or other qualified health care professional who is not available. When advanced practice nurses and physician assistants are working with physicians, they are considered as working in the **exact** same specialty and subspecialty as the physician.

No distinction is made between new and established patients in the emergency department. E/M services in the emergency department category may be reported for any new or established patient who presents for treatment in the emergency department.

The Decision Tree for New vs Established Patients is provided to aid in determining whether to report the E/M service provided as a new or an established patient encounter.

Decision Tree for New vs Established Patients



Initial and Subsequent Services

Some categories apply to both new and established patients (eg, hospital inpatient or observation care). These categories differentiate services by whether the service is the initial service or a subsequent service. For the purpose of distinguishing between initial or subsequent visits, professional services are those face-to-face services rendered by physicians and other qualified health care professionals who may report evaluation and management services. An initial service is when the patient has not received any professional services from the physician or other qualified health care professional or another physician or other qualified health care professional of the exact same specialty and subspecialty who belongs to the same group practice, during the inpatient, observation, or nursing facility admission and stay.

A subsequent service is when the patient has received professional service(s) from the physician or other qualified health care professional or another physician or other qualified health care professional of the exact same specialty and subspecialty who belongs to the same group practice, during the admission and stay.

In the instance when a physician or other qualified health care professional is on call for or covering for another physician or other qualified health care professional, the patient's encounter will be classified as it would have been by the physician or other qualified health care professional who is not

Appendix A — Modifiers and Expanded Guidance

This appendix identifies modifiers. A modifier is a two-position alphabetic or alphanumeric code appended to a CPT® code to clarify the service being reported. Modifiers provide a means by which a service can be altered without changing the procedure code. They add more information, such as anatomical site, to the code. In addition, they help eliminate the appearance of duplicate billing and unbundling. Modifiers are appended to increase the accuracy in reimbursement and coding consistency, ease editing, and capture payment data.

This appendix has three sections:

- *Introduction to Modifiers* section, providing general information about modifiers
- A list of commonly used modifiers, including for ambulatory surgery center (ASC) use, with the official descriptor from the AMA, and HCPCS Level II modifiers commonly used when coding procedures. Select modifiers have additional instructional notes from Optum inside gray boxes below the official descriptor to assist with appropriate reporting
- Additional regulatory and coding guidance for appropriate reporting of modifiers

Introduction to Modifiers

Over the years, physicians and hospitals have learned that coding and billing are inextricably entwined processes. Coding provides the common language through which the physician and hospital can communicate—or report—their services to third-party payers, including managed care organizations, the federal Medicare program, and state Medicaid programs.

The use of modifiers is an important part of coding and billing for health care services. Modifier use has increased as various commercial payers, who in the past did not incorporate modifiers into their reimbursement protocol, recognize and accept codes appended with these specialized billing flags. Correct modifier use is also an important part of avoiding fraud and abuse or noncompliance issues, especially in coding and billing processes involving the federal and state governments. One of the top 10 billing errors determined by federal, state, and private payers involves the incorrect use of modifiers.

Modifiers give Medicare and commercial payers additional information needed to process a claim. This includes HCPCS Level I (Physicians' Current Procedural Terminology [CPT]) and HCPCS Level II codes.

There are two levels of modifiers within the HCPCS coding system. Level I (CPT) and Level II (HCPCS Level II) modifiers apply nationally for many third-party payers and all Medicare Part B claims. Level I, or CPT, modifiers are developed by the AMA, and HCPCS Level II modifiers are developed by the Centers for Medicare and Medicaid Services (CMS). The Health Insurance Portability and Accountability Act (HIPAA) guidelines indicate that all codes and modifiers are to be standardized. However, some coding and modifier information issued by CMS differs from the AMA's coding advice in the CPT book; a clear understanding of each payer's rules is necessary to assign such modifiers correctly.

The reporting physician appends a modifier to indicate special circumstances that affect the service provided without affecting the service or procedure description itself. When applicable, the appropriate two-character modifier code should be appended to the usual procedure code number to identify the modifying circumstance.

The CPT code book, *CPT 2026*, lists the following examples of when a modifier may be appropriate, including, but not limited to:

- Service/procedure is a global service comprising both a professional and technical component and only a single component is being reported
- Service/procedure involves more than a single provider and/or multiple locations
- Service/procedure was either more involved or did not require the degree of work specified in the code descriptor
- Service/procedure entailed completion of only a segment of the total service/procedure
- An extra or additional service was provided
- Service/procedure was performed on a mirror image body parts (eyes, extremities, kidneys, lungs) and not unilaterally

- Service/procedure was repeated
- Uncommon and atypical events occurred during the course of procedure/service

This appendix lists 36 modifiers valid for use with CPT codes by physicians and health care professionals, and 14 CPT modifiers valid for use with CPT codes for ASCs and outpatient hospital departments. Six anesthesia physical status modifiers are also listed in the appendix as well as some current HCPCS Level II modifiers reported by ASCs and hospital outpatient departments, valid for use with the appropriate CPT or HCPCS Level II codes. However, it is not a complete listing of the HCPCS Level II modifiers for physicians' and other health care professionals' reporting.

Some coders may infer that modifiers can be appended to all CPT codes. However, there are limitations on reporting certain modifiers with specific CPT codes. For instance, modifier 57 (Decision for surgery) can be appended only to appropriate evaluation and management (E/M) codes and certain ophthalmological service codes found in the medicine section of the CPT book.

Placement of a modifier following a CPT or HCPCS code does not ensure reimbursement. A special report may be necessary if the service is rarely provided, increased, unusual, variable, or new. The special report should contain pertinent information and an adequate definition or description of the nature, extent, and need for the procedure/service. The report should also describe the complexity of the patient's symptoms, pertinent history and physical findings, diagnostic and therapeutic procedures, final diagnosis and associated conditions, and follow-up care.

Some modifiers are informational only (e.g., 24 and 25) but can, however, determine whether the service will be reimbursed or denied. Other modifiers such as modifier 22 (Increased procedural services), increase reimbursement under the protocol for many third-party payers if the documentation supports the modifier's use. Modifier 52 (Reduced services) typically equates to a reduction in payment.

For example, in general, a surgical service involves a physician evaluation of the patient before surgery, the surgery itself, and the postoperative follow-up care. Included in the CPT code book is the AMA's description of what makes up the global surgery package, including standard postoperative care, following a surgery or procedure. The AMA does not further define the postoperative period in the CPT code book by indicating an appropriate number of postoperative days for each procedure.

However, CMS and most other payers have segmented surgical procedures into major, minor, or endoscopic surgery, and Medicare has its own definition of a global surgery package. To complicate matters further, the global package for a major surgery differs from that of a minor surgery. For example, the package of services for major surgery includes preoperative visits after the decision has been made to perform surgery, the intraoperative services, complications following surgery that do not require a return to the operating room, postoperative visits within 90 days after surgery, postsurgical pain management, supplies, and other miscellaneous services such as dressing changes. Medicare includes all defined services related to the surgical procedure in the amount reimbursed to the provider, including complications not requiring a return to the operating room.

The postoperative period is the amount of time following a procedure that is considered included in the reimbursement for the surgery. In other words, when a physician is paid for a particular surgery, he or she is also paid for a designated amount of time after the surgery in which he or she continues to treat the patient in follow-up visits related to the surgery. Payment for services not requiring a return to the operating room during the postoperative period is considered included in the initial reimbursement. Under Medicare guidelines, the 90-day postoperative period for a major surgery includes all routine care of the patient for surgery-related services. These services should not be separately reported to Medicare for reimbursement. Medicare has three different postoperative periods for procedures performed: 0 days, 10 days, and 90 days. A listing of global period assignment for procedures can be found in the Medicare Physician Fee Schedule Database (MPFSDB).

Even though CMS sets national guidelines, individual contractors are allowed to interpret many of these guidelines for their own region. This means that services/procedures allowed by one contractor may not be allowed by another. For example, modifier 57 (Decision for surgery) can be particularly confusing when it comes to conflicting guidelines. While the CPT code book

Classification of E/M Services

The E/M section is divided into broad categories such as office visits, hospital inpatient or observation care visits, and consultations. Most of the categories are further divided into two or more subcategories of E/M services. For example, there are two subcategories of office visits (new patient and established patient) and there are two subcategories of hospital inpatient and observation care visits (initial and subsequent). The subcategories of E/M services are further classified into levels of E/M services that are identified by specific codes.

The basic format of codes with levels of E/M services based on medical decision making (MDM) or time is the same. First, a unique code number is listed. Second, the place and/or type of service is specified (eg, office or other outpatient visit). Third, the content of the service is defined. Fourth, time is specified.

The place of service and service type are defined by the location where the face-to-face encounter with the patient and/or family/caregiver occurs. For example, a service provided to a nursing facility resident brought to the office is reported with an office or other outpatient code.

Categories of E/M Services

Codes for E/M services are categorized by the place of service (e.g., office or hospital) or type of service (e.g., critical care, preventive medicine services). Many of the categories are further divided by the status of the medical visit (e.g., new vs. established patient or initial vs. subsequent care).

New and Established Patients

A **new patient** is defined by the American Medical Association (AMA) as one who has *not* received any professional services from a provider or other qualified healthcare professional (OQHP) of the exact same specialty and subspecialty from the same group practice within the last three years. An **established patient** is defined as one who *has* received a professional service from a provider or OQHP of the exact same specialty and subspecialty from the same group practice within the last three years. If the patient is seen by a physician or OQHP who is covering for another physician or OQHP, the patient is considered the same as if seen by the physician or OQHP who is unavailable.

Initial and Subsequent Services

An **initial** service is defined by the AMA as one who *has not* received professional services from a provider or OQHP of the exact same specialty and subspecialty from the same group practice during an inpatient, observation, or nursing facility admission. A **subsequent** service is defined as one who *has* received professional services from a provider or OQHP of the exact same specialty and subspecialty from the same group practice, during an inpatient, observation, or nursing facility admission. If the patient is seen by a physician or OQHP who is covering for another physician or OQHP, the patient is considered the same as if seen by the physician or OQHP who is unavailable.

Note: Per the CY 2023 physician fee schedule (PFS), final rule, CMS is adopting these definitions with one exception: CMS does not recognize subspecialties and has left “subspecialty” out of their definitions.

Services Reported Separately

Any specifically identifiable procedure or service (i.e., identified with a specific CPT code) performed on the date of E/M services may be reported separately.

The ordering and actual performance and/or interpretation of diagnostic tests/studies during a patient encounter are not included in determining the levels of E/M services when the professional interpretation of those tests/studies is reported separately by the physician or other qualified healthcare professional reporting the E/M service. Tests that do not require separate interpretation (e.g., tests that are results only) and are analyzed as part of MDM do not count as an independent interpretation, but may be counted as ordered or reviewed for selecting an MDM level.

Summary of Recent Changes to the E/M Codes

New E/M Telemedicine Services Section

For the CY2025 update, the CPT Editorial Panel has added a new Telemedicine Services section within the Evaluation and Management (E/M) section of the CPT codebook.

Telemedicine services are synchronous, real-time, interactive encounters between a physician or other qualified health care professional (QHP) and a patient utilizing either combined audio-video or audio-only telecommunication.

Seventeen new telehealth codes have been added for reporting synchronous audio-video visits and synchronous audio-only visits for new or established patients. These include:

- **Synchronous Audio-Video E/M Services**

- New Patient—98000-98003
- Established Patient—98004-98007

- **Synchronous Audio-Only E/M Services**

- New Patient—98008-98011
- Established Patient—98012-98015

- **Brief Synchronous Communication Technology-Based Service**

- Established Patient—98016

Determining the Level of E/M Service for Office or Other Outpatient Services, Telemedicine Services, Hospital Inpatient and Observation Care, Consultations, Emergency Department Services, Nursing Facility, and Home or Residence Services

For these services, a medically appropriate history and/or physical examination should be documented, but the nature and extent of the history and/or physical examination are determined by the treating clinician based on clinical judgment and what is deemed as reasonable, necessary, and clinically appropriate.

Selecting the level of service for these E/M categories should be based on the levels of MDM or total time spent by the clinician on the day of the encounter, including face-to-face and non-face-to-face activities. Keep in mind that medical necessity is still the overarching criterion for selecting a level of service in addition to the individual requirements of the E/M code.

Medical Decision Making

MDM is used to establish diagnoses, assess the status of a condition, and select a management option(s). MDM for these services is defined by three elements detailed in the MDM table published in the CPT E/M guidelines. The new and established patient levels are scored the same and new and established codes require two out of three elements for any given code.

The three elements of the table are:

- Number and complexity of problems addressed during the encounter
- Amount and/or complexity of data to be reviewed and analyzed
- Risk of complications and/or morbidity or mortality of patient management

These elements are defined in the E/M guidelines and explained below.

Number and Complexity of Problems Addressed During the Encounter

The first element used in selecting these levels of E/M services is the number and complexity of problems addressed during the encounter. Several new or established problems may be addressed at the same time and may affect MDM.

Symptoms may cluster around a specific diagnosis, and each symptom is not necessarily a unique condition. Comorbidities/underlying diseases, in and of themselves, are not considered in selecting a level of E/M service unless they are addressed and their presence increases the amount and/or complexity of data to be reviewed and analyzed or the risk of complications and/or morbidity or mortality of patient management. Risk in this element relates to